

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	csnp and @pd>"20040907" and @ad<"20010427"	US-PGPUB; USPAT	OR	OFF	2005/05/26 17:43
S1	2	"Complete sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:23
S2	0	"partial sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:23
S3	0	"partial sequence numbers packet"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:23
S4	0	PSNP same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:24
S5	187	CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 11:24
S6	5	PSNP and CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:42
S7	186	((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:47
S8	6	((((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network) same (offline or recover\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:47
S9	8	((((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network) and heartbeat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:48

S10	15	((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network) and (heartbeat or hello or PSNP or CSNP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:48
S11	10	((dummy or null or empty) near3 (packet\$1 or message\$1)) same node\$1 same network) and (heartbeat or hello or PSNP or CSNP)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 13:59
S12	0	("IS-IS" and @ad<"20010427") and PSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:00
S13	1	("IS-IS" and @ad<"20010427") and CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:00
S14	25	709/238,242.ccls. and 714/4.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/18 14:07
S15	22	(709/238,242.ccls. and 714/4.ccls.) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/18 14:07
S16	1084	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 10:14
S17	1983	709/238,242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 10:14
S18	546	370/216.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/19 10:14
S19	637	370/254.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/19 10:14
S20	50	709/238,242.ccls. and (370/216.ccls. or 370/254.ccls.)	US-PGPUB; USPAT	OR	OFF	2004/08/19 10:14
S21	47	(709/238,242.ccls. and (370/216.ccls. or 370/254.ccls.)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 10:27

S22	4	714/4.ccls. and ("IS-IS" and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:34
S23	173	"IS-IS" and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:45
S24	5646	(dummy or null or empty) near3 (packet\$1 or message\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22
S25	7	"IS-IS" and ((dummy or null or empty) near3 (packet\$1 or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22
S26	5	("IS-IS" and ((dummy or null or empty) near3 (packet\$1 or message\$1))) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:22
S27	303	"IS-IS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:45
S28	4	"IS-IS" same heartbeat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:46
S29	25	"IS-IS" same (restart\$3 or recover\$3 or reboot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:47
S30	12	("IS-IS" same (restart\$3 or recover\$3 or reboot\$3)) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 10:47
S31	8	PSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 14:18

S32	1	PSNP and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 14:19
S33	8	"partial sequence number"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 14:19
S34	3	"partial sequence number" and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 18:58
S35	0	reference near2 ((node or address or device) near2 (existen\$2 or non-existen\$2)) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 18:59
S36	353	((node or address or device) near2 (existen\$2 or non-existen\$2)) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 19:00
S37	45	((((node or address or device) near2 (existen\$2 or non-existen\$2)) same network) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 19:00
S38	34	(((((node or address or device) near2 (existen\$2 or non-existen\$2)) same network) same packet) and @ad<"20010427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/24 19:00
S39	7	PSNP and CSNP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:19
S40	4	714/4.ccls. and ("IS-IS" or CSNP) and @ad<"20010427")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 18:34
S41	54	709/238,242.ccls. and (370/216. ccls. or 370/254.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/05/17 18:47